


Planned Plumbing and Heating



KOHLER OF KOHLER

Planned **TO MAKE YOUR BUYING EASY**

Most people who build new bathrooms or remodel the old are inexperienced buyers of plumbing equipment. They need suggestions . . . that's what this book tries to offer.

Baths, lavatories, and closets have been grouped into bathrooms of different price ranges. These rooms were planned by an architect, furnished by an interior decorator, and photographed in direct color for **you** to use as models. Alternative fixtures are shown individually.

The vitreous china fixtures are made of the finest imported English china and ball clays. The inside passageways and water areas in closet bowls comply with Government standards to safeguard your health. Kohler baths are cast in one piece of rigid cast iron. The enamel is fused at high temperatures to form a lustrous glass-like surface. Kohler acid-resisting enamel is not merely a surface film but acid-resistant clear through for longer life and prolonged beauty. The color of the enamel is whiter, matching the white of Kohler vitreous china. The fittings, with their smooth, lustrous chromium plated surfaces and carefully-built, rigidly-inspected valves, are engineered especially for Kohler fixtures to give you longer, trouble-free service.

For your protection in buying, each Kohler product bears the KOHLER mark. It is your assurance that you are receiving first-class materials at competitive prices.

Experienced attendants in the Kohler showrooms will gladly study your requirements and make recommendations benefiting your interests.

KOHLER CO. BRANCH OFFICES AND SHOWROOMS

Founded 1873

BOSTON, MASS.
139 Newbury St.

CHICAGO, ILL.
Tribune Tower
431 N. Michigan Ave.

DETROIT, MICH.
3094 E. Grand Blvd.

HOUSTON, TEXAS
(Office Only)
820 Merchants and Mrs. Bldg.

KANSAS CITY, MO.
1113 Wyandotte St.

LONG ISLAND CITY, N. Y.
36-02 Northern Blvd.

LOS ANGELES, CALIF.
2152 W. Washington Blvd.

MILWAUKEE, WIS.
751 N. Jefferson St.

MINNEAPOLIS, MINN.
1116 Nicollet Ave.

NEWARK, N. J.
406 Raymond Blvd.

NEW YORK CITY
711 Fifth Ave.

PHILADELPHIA, PA.
17th and Sansom Sts.

PITTSBURGH, PA.
401 Penn Ave.

RICHMOND, VA.
(Office Only)
1501-03 Central Nat'l Bank Bldg.


ST. LOUIS, MO.
1730 Pine St.

SAN FRANCISCO, CALIF.
505 Post St.

SEATTLE, WASH.
1907 Third Ave.

LONDON, W. 1., ENGLAND
216 Great Portland St.

Sunny Master Bath - Tuscan




This room, which reflects quiet beauty and refinement, is centered around the **Cosmopolitan** bath (K-551-CM). The Niedecken shower mixer fitting has ball-joint head with volume regulator, over-rim spout, and a sure-action pop-up drain. Smart new **Jamestown** lavatory with combination fitting is on shapely tubular legs with wall-free towel bars (K-1770-F). **Placid** closet is one-piece for cleanliness, and free-standing for easier installation (K-3600-EB). Completing this modern bath


is the **Walcot** lavatory, a special fixture for home dental hygiene. Fittings are all-brass, heavily chromium plated.

Kohler fixtures in Tuscan are keyed to a floor of rust brown tile and walls of Buckskin tan tile, with plaster frieze painted cream. Mirrors have a rose-copper tint.

(Right.) Walcot—a dental lavatory for the home. 3¼-inch shelf; built-in chromium plated mixing fitting; supply pipes with stops; cast trap. 12x12". K-2200-BA.



Gay and Inexpensive - White




The single, modest bathroom, serving a household of two adults and two children, must meet a variety of qualifications. Fixtures and materials must be inexpensive and easy to maintain. Here, the broad-rimmed


Cosmopolitan bath (K-554-CV) furnishes a comfortable seat for whoever is elected to bathe the children; the lavatory is the vitreous china shelf **Gramercy** (K-1855-BA) with wall-free towel bars; and the **Bolton** reverse trap closet (K-3660-EB) is elongated and free-standing.

Fixtures are in the famous Kohler white. Wainscoting and tub recess are blue sheet rubber; upper walls are "Jolly Sailors" design wall paper. Floor is mottled blue linoleum. Lavatory step for little folks folds up in the recess.

(Right.) The **Cosmopolitan** is equipped with a **Marsden** shower and bath fitting which has renewable seats, over-rim spout, sanitary pop-up drain. K-7480.



Cheerful the Year Round—Spring Green




In this four-fixture bathroom, subtle emphasis is bestowed upon the **Gramercy** vitreous china shelf lavatory with hexagonal tubular legs and wall-free towel bars by framing it in a shallow alcove (K-1850-BA). The **Cosmopolitan** bath (K-555-CM), fitted with shower shown at right,


is set in a recess, which makes a natural showering compartment. Closet is the one-piece, free-standing **Integra** reverse trap (K-3610-PB). **Walcot** dental lavatory (K-2200-BA) makes brushing teeth convenient and pleasant. Fittings are chromium plated.

Fixtures are Kohler Spring Green. The sun tan walls are Vitrolite; bath recess is ivory Vitrolite and the linoleum floor is in pigskin color.

(Right) The Cosmopolitan is fitted with the **Elland** shower and bath fitting. Has a **Niedecken** mixer with which hot and cold water can be mixed to please the bather by the turn of one handle. Volume regulator, ball-joint shower head, over-rim spout, pop-up drain. K-7465.



Rouge-Accented Budget Bath-White




In this budget bath an unusual and interesting effect is achieved by teaming a Rouge **Westchester** enameled cast iron lavatory (K-2635-F) with a white **Wellworth** closet (K-3700-PB) and a white **Cosmopolitan** bath (K-556-CE). The additional cost of the one colored fixture is negligible.



Though inexpensive, the fixtures will serve well. Lavatory has a combination mixer fitting and the new wall-free towel bars. Closet is the close-coupled, free-standing Wellworth, compact, space-saving, efficient, and quiet.

Lavatory is Kohler Rouge. Bath and closet are Kohler white. Walls and shower recess are hard plaster painted neutral gray; upper walls are papered; dado molding and baseboard are Rouge to match lavatory. Floor is of linoleum.

(Right) The new Dalton shower and bath fitting with a new over-rim diverter spout. Water being mixed with the hot-and-cold valves can be run into the tub and tested. When correct degree is obtained, lift diverter handle and water is directed to shower head. Renewable seats, pop-up drain. K-7500.




Spirited Metal, Color Relation - Blue



elongated for hygiene and extra comfort. (K-3650-EB.) Channel is free-standing for easier installation, is quiet and meets exacting code requirements.

Fixtures are Kohler Cerulean Blue. Walls are metal of paper thinness, felt-backed, applied with linoleum paste and snap-on metal moldings. Bands in the wall and the floor are dusty rose linoleum. Lavatory is in front of window where daylight floods the mirror and face of person.

(Right) Metric bath has an Elland shower and bath fitting with Niedeecken mixer. When lever is turned, cold water first appears. As handle is turned on the dial, hot water quickly mixes with the cold until correct temperature is secured. Ball-joint shower head has volume regulator, pop-up drain, renewable seats. K-7465.



Lavette in Feminine Favor-Peachblow



Recess Shelf





A Lavette is a convenience for all the family, particularly if there are small children—its usefulness is most apparent when there are guests. In planning a new home, it is usually easy to provide space near the entrance— $3\frac{1}{2}' \times 4\frac{1}{2}'$ will do. In older homes there is very often a space under the stairway, a closet, or a hall end which will never be missed. Lavatory shown is the **Strand** (K-1875-BA) with wall-free towel bars . . . the closet, the **Bolton** (K-3660-PB).

Fixtures are Peachblow color; walls are papered in a deeper shade; linoleum floor covering is Terra Cotta; curtains are Chartreuse organdie.

KOHLER *Cosmopolitan*

WITH FLAT BOTTOM, WIDE RIM, LOWER SIDES



Cosmopolitan. Recess bath. K-556-CA.

This new Kohler **Cosmopolitan** with its inclined panels fading into the rim, its graceful proportions, its shimmering, lustrous enamel, lends distinction to the bathroom. It is of one-piece construction and harmonizes in design with other Kohler fixtures—lavatories and closets.

Safety and comfort features have been built into the **Cosmopolitan**—flat bottom, level rim, low sides. It is easy to step in or out. 4½', 5', and 5½' lengths. Height 16". Width 31". Rim is 4⅞" wide. K-551-CP, corner **Cosmopolitan**, with bath fitting and pop-up drain, shown above.



A flat bottom of large area provides a much safer, surer footing.




Wide, flat rim is safe for sitting; convenient for foot-bathing.



Mother doesn't have to stretch so far because of the low side.


THE *Metric* WITH BUILT-IN SEAT

—USE IT AS A RECESS OR CORNER BATH




The three-way **Metric** provides bathing convenience for every member of the family! **Showering:** As a recess, the Metric provides excellent facilities for the shower addict—young or old. **Soaking:** The relaxing bath can be enjoyed in comfort, as the bottom length is equal to the usual five-foot tub. **Sitting:** Recessed seat at the end makes foot bathing easier and is useful in bathing children.


Height 18". Width 30". The K-256-CM with shower and bath fitting, Niedecken mixer, pop-up drain, grip rails, curtain rod, hook and chain, is shown.



KOHLER OF KOHLER



Braxton




Dixmont




Two Types of Bath Fittings

The **Dixmont** (K-7785), with connected drain and overflow, chain and rubber stopper is a satisfactory low-cost fitting, but for a little more you can have the **Braxton** (K-7780). The latter has a pop-up drain which opens and closes by turning a handle at the overflow plate. Operates smoothly, positively, quietly. Drains the tub rapidly.

Accessories — Inexpensive, Finishing Touches



1. K-9600 soap dish. 2. K-9602 tumbler holder.
3. K-9604 toothbrush holder. 4. K-9606 robe hook.
5. K-9608 paper holder. 6. K-9610 glass shelf.
7. K-9612 grip rail.





Tuscan**Spring Green****Peachblow****Cerulean Blue**

Pastels WHICH FIT INTO YOUR PET COLOR SCHEME


The architect, in planning the rooms shown in this book, has used both white and colored fixtures. He has demonstrated, with the use of modern, commercially available wall and floor materials, that interesting and effective results can be obtained in either case through the skillful use of color. These rooms, which were actually built and which were photographed in color, offer suggestions in planning the choosing of fixtures, modern lighting and accessories.

**Ivory****Lavender****Autumn Brown****Rouge**

THE LOW-COST GROUP FEATURING
THE NEW *Liberty* BATH



The $3\frac{1}{2}$ -inch wide rim serves as a temporary seat when getting into and out of the bath.



Fitting is mounted on the rim, out of the way. High spout prevents back siphonage, meeting strict plumbing codes.

If you are planning a small home which calls for a modest bathroom, try the new **Liberty**. This new bath, in combination with a **Hampton** enameled cast iron lavatory and a **Wellworth** closet, gives you modern design and usefulness at a very low cost. The Liberty is $3\frac{1}{2}$ inches lower than most tubs on legs . . . floor to top of rim is 19 inches for easy access. Enameled inside. Complete with chromium plated faucet, supply pipes, connected drain and overflow. Lengths $4\frac{1}{2}'$ and $5'$. Width $30''$. K-1000-T.



COLONNA. A low-cost bath for modest homes and apartments, summer resort cabins, for maid's or children's bathrooms. Enameled inside. Chromium plated faucet with gooseneck spout, supply pipes, connected drain and overflow. Lengths: $4'$, $4\frac{1}{2}'$, $5'$, $5\frac{1}{2}'$; width, $30''$; height, $22\frac{1}{2}''$. K-1050-DS.



BROOKLANDS. Reverse trap with connecting elbow. Regular and elongated bowls. TriKo coated seat. K-3720-PB (regular). K-3720-EB (elongated).



SIBLEY. Washdown with connecting elbow. Regular bowl. TriKo coated seat. A good, practical closet in its price class. K-3760-PB.

A closet must carry away waste effectively and quietly. It must safeguard against pollution of the fresh water. It must be easy to clean. In design it must be in harmony with the other fixtures. **K of K** closets meet **all these** requirements. The vitreous china material is non-absorbent; passageways and water areas are large; flushing action augmented by concealed twin jets is positive yet quiet. Strong rim flush.

CHOOSE FROM A COMPLETE LINE




PLACID



INTEGRA




CHANNEL



CHANNEL. Close-coupled, siphon jet closet with elongated bowl for hygiene and extra comfort. Tank fastened to ledge of bowl with three bolts. Free-standing; recessed tank-shelf cover. Hygienic sheet-covered seat. K-3650-EB.




BOLTON



BOLTON. Close-coupled, reverse trap closet available with regular and elongated bowls. Tank fastened to bowl with three bolts. Free-standing; recessed tank-shelf cover. Hygienic sheet-covered seat. K-3660-EB (elongated). K-3660-PB (regular)



WELLWORTH



WELLWORTH. Close-coupled, reverse trap, space-saving closet with regular bowl. Tank fastened to bowl with three bolts. Free-standing; shelf-tank cover. A very desirable low-cost fixture. TriKo coated seat. K-3700-PB.


KOHLER

Vitreous China


SHELF LAVATORIES



Kohler shelf lavatories have clear, full-length shelves. The built-in fitting is on the back where it is most accessible. Since operation of hot and cold valves takes place directly over the basin, drippings from wet, soapy hands fall back into the basin and not onto the shelf. This feature helps keep the lavatory shelf clean.



GRAMERCY (above). Shelf lavatory with hexagonal tubular legs and wall-free towel bars. Built-in chromium plated mixing fitting and pop-up drain. Supply pipes with stops; cast trap. 22x18", 24x20". K-1850-BA.



**WALL-FREE
TOWEL BARS
PREVENT
CRACKING
OF WALLS**

Towel bars are bolted to the lavatory. No need of drilling bathroom tile, since there are no brackets to attach.


WALL-HANGING MODELS




GRAMERCY. Wall hanging shelf lavatory with built-in chromium plated mixing fitting. Two depressed soap dishes on the flat, roomy slab. Pop-up drain; supply pipes with stops; cast trap. 22x18", 24x20". K-1855-BA.



STRAND. Narrow wall hanging shelf lavatory. Smallest size is only 14" wide. Excellent for small bathrooms. Built-in, chromium plated mixing fitting with pop-up drain. Supply pipes with stops; cast trap. 20x14", 26x15½". K-1875-BA. Also available with metal legs.




CUB. Small wall-hanging shelf lavatory for trailers, tourist camps, offices, washrooms. Built-in chromium plated mixing fitting. Chain and stopper; supply pipes with stops; cast trap. 12x12". K-1895-BA.



NEW! VITREOUS CHINA *Jamestown*

JAMESTOWN (left). With hexagonal, tubular legs and wall-free towel bars. Useful slab space. Chromium plated fitting; pop-up drain; supply pipes with stops; cast trap. Three sizes: 20x18", 24x20", 27x22". K-1770-F.


JAMESTOWN (right). With gracefully curved pedestal. Spacious slab serves as shelf. Compact, chromium plated Centra fitting with pop-up drain. Supply pipes with stops; cast trap. Two sizes: 24x20", 27x22". K-1785-C.



THE NEW VITREOUS CHINA

Chesapeake LEDGE LAVATORY

CHESAPEAKE (left). With hexagonal, tubular legs and wall-free towel bars. 5¼-inch ledge with depressed soap dish. Compact, chromium plated Centra fitting; pop-up drain. Supply pipes with stops; cast trap. Size: 20x18". K-1810-C.



CHESAPEAKE (above). Wall hanging with wall-free towel bars. 5¼-inch wide ledge with depressed soap dish. Compact, chromium plated Centra fitting; pop-up drain. Supply pipes with stops; cast trap. Size: 20x18". K-1815-C.

VITREOUS CHINA WALL-HANGING LAVATORIES



GREENWICH. Has 6-inch back with clipped corners. Chromium plated compression faucets and pop-up drain. Supply pipes with stops; cast trap. Two sizes: 20x18", 24x20". K-2050-J. Also with legs and wall-free towel bars.



LEXINGTON. A narrow fixture for narrow bathrooms—only 13½ inches wide. 5-inch high back. Chromium plated compression faucets with chain and stopper. Supply pipes with stops; cast trap. Two sizes: 20x13½", 26x14". K-2115-D.




BREWSTER. Corner model. 6-inch high back. Chromium plated compression faucets and pop-up drain. Supply pipes; cast trap. 17" (length on sides). K-2150-J.

KOHLER

Enameled Cast Iron

SHELF LAVATORIES



Hampton has a clear, full-length shelf that provides up to 95 square inches of usable space. Mixing fitting is on the back where it is most accessible. Operation of hot and cold valves takes place directly over the basin so that drippings from wet, soapy hands fall back into the basin and not onto the shelf.

HAMPTON (left). Shelf lavatory with hexagonal tubular legs and wall-free towel bars. Built-in chromium plated mixing fitting has pop-up drain. Supply pipes with stops; cast trap. 19x17", 22x19" (large size has 2 depressed soap dishes). K-2710-BA.




HAMPTON (right). Wall-hanging shelf lavatory with wall-free towel bars. Built-in chromium plated mixing fitting has pop-up drain. Supply pipes with stops; cast trap. 19x17", 22x19". K-2720-BA.



TRAVELER. Measuring only 13x13", this tiny shelf lavatory can be installed in very small washrooms or in out-of-way places . . . in private offices, office washrooms, kitchens, bedrooms, trailers, tourist camps, filling stations, public rest rooms. Has 3-inch wide shelf. Built-in chromium plated mixing fitting, chain and rubber stopper. Supply pipes with stops; cast trap. K-2750-BA.




In a small room off the kitchen.





Takes up little room in a trailer.

IT'S IMPORTANT TO HAVE KOHLER FITTINGS



As shown here (above), towel bars are clamped onto the lavatory and are, therefore, independent of the wall. This feature makes Kohler lavatories easy to install for replacement purposes. No danger of cracking bathroom tile trying to fasten towel bars to the wall.



(Above.) Compact, graceful, low-cost Centra saves space. Smooth-turning handles. Pop-up drain. Renewable seats. K-8050.

(Left.) This mixing fitting with pop-up drain is built into the lavatory. It conserves shelf space and delivers temperature-controlled water.



WESTCHESTER. With tubular legs and wall-free towel bars. Chromium plated mixing fitting has pop-up drain. Supply pipes have stops; cast trap. Three sizes: 20x18", 24x20", 27x22". K-2600-C

WESTCHESTER. On white enameled metal cabinet. Towel bar at one side. Compact chromium plated mixing fitting and pop-up drain. Supply pipes with stops; cast trap. Size: 24x20". K-2615-C.

WESTCHESTER. With pedestal and wall-free towel bars. Chromium plated mixing fitting and pop-up drain. Supply pipes with stops; cast trap. Three sizes: 20x18", 24x20", 27x22". K-2635-F.






HUDSON. Low-cost. Compact, chromium plated mixing fitting and pop-up drain, wall-free towel bars. Supply pipes with stops; cast trap. 20x18", 22x19". K-2805-C.

BRETTON. A popular, low-cost lavatory with splash-protection back. Chromium plated hot and cold water compression faucets. Supply pipes with stops; cast trap. 19x17", 21x18". K-2880-P.

NAROBOL. Only 14" wide. For narrow rooms. 5½-inch back. Chromium plated compression faucets. Chain and rubber stopper. Supply pipes with stops. Cast trap. 26x14". K-2900-M.

KENNETH. Corner model. 6-inch back. Chromium plated compression faucets. Chain and rubber stopper. Supply pipes with stops. Cast trap. 16x16" (sides). K-2950-P.


ENGINEERED FOR KOHLER FIXTURES



The Bancroft combination fitting looks especially well on larger-size lavatories. It has separate hot and cold water valves and a built-in pop-up drain. Renewable seats. Heavy, sturdy bodies have well-engineered, precision-made working parts, double-action threads, large water ways.

Spouts of Kohler lavatory fittings are set above the highest point of the slab to provide an air gap. This guards against back siphonage as required by plumbing codes. Cleaning under the spout is easier.

The handles of Kohler fittings are gracefully proportioned and comfortable to the hand. They open and close the valves with a light touch. Surfaces are smooth, lustrous, and easy to keep clean.




WOULDN'T YOU

LIKE TO HAVE THIS


Kitchen?




Any woman who takes pride in her home wants a cheerful, efficiently-planned "work room." It is here that she spends many of her hours daily, preparing meals, washing dishes, ironing. Every piece of equipment should aim to lighten her work. If she has a Kohler sink she has gone a long way in making her kitchen more pleasant.




This kitchen has a double-compartment Wellwin (shown left) used with Kohler steel wall and base cabinets. Wash dishes in one compartment and rinse in the other. Eight-inch deep basin with Duostrainers; 4-inch back; 3-inch wide ledge. Chromium plated mixing faucet with spray hose. Acid-resisting enamel (only). Steel cabinet. Cast traps. 42x25". K-5595-A. Available less cabinet for wood cabinet installation.



Retractable spray hose. Long 9" spout.



Compartment's are 8" deep with Duostrainers.



1. The 3-inch wide ledge gives helpful space the full length of the sink. Accommodates cleanser, glasses, cleaning compounds, and sink gadgets for orderly use.

2. Drainboards are depressed and have a gradual yet definite slope which prevents water from spilling over the ends and front of the sink.

3. The 9-inch long spout reaches anything in the basin with greatest of ease. When swung over the ledge, spout is out of the way, parallel with top of back, accentuating the modern, streamline effect.



KOHLER of KOHLER

CAMBERLEY (above). A likable sink because it has so much room. Two large, depressed drainboards. 8-inch basin with Duostrainer. 4-inch back. 3-inch wide ledge. Chromium plated mixing faucet with swing spout. Spray hose. Acid-resisting enamel (only). Steel cabinet. Cast trap. 60 x 25". K-5555-A. Available less cabinet for wood cabinet installation.



KOHLER of KOHLER

CYMBRIA (above). Single, depressed drainboard. 8-inch basin with Duostrainer. 4-inch back. 3-inch wide ledge. Chromium plated mixing faucet with swing spout. Spray hose. Acid-resisting enamel (only). Steel cabinet. Cast trap. 42 x 25". K-5576-A. Sink at left, K-5575-A. Available less cabinet for wood cabinet installation.




Berkshire (left). Single drainboard. 6-inch basin. Duostrainer. Chromium plated swing spout mixing faucet. Steel cabinet. Cast trap. 42x20", 52x20". K-5686-M. Sink at left, K-5685-M.

Dorchester (below). Two drainboards. 6-inch basin. Duostrainer. Chromium plated swing spout mixing faucet. Steel cabinet. Cast trap. 60x22". K-5675-M.




(Right) 42x20" Berkshire is available with this type cabinet. Sink at left, K-5687-M. Sink at right, K-5688-M.






PRISCILLA (above). Two drainboards. Duostrainer in 6-inch basin; 8-inch back. Chromium plated mixing faucet with swing spout; cast trap. Two sizes—60x22", 74x22". K-6040-M. With 8-inch deep basin, K-6020-M.



PURITAN (above). A favorite in thousands of American homes. Single drainboard; Duostrainer in 6-inch basin; 8-inch back. Chromium plated mixing faucet with swing spout; cast trap. Two sizes—42x20", 52x20". K-6126-M. This sink with basin at left, K-6125-M. Available with 8-inch basin in three sizes—36x20", 42x22", 52x22". K-6116-M and K-6115-M.




SUTTON (above). Low in cost—high in value. For small kitchens, cottages, pantries, basements. Duostrainer in 6-inch basin; 8-inch back. Chromium plated faucets; cast trap. Eight sizes—24x16", 18x18", 24x18", 30x18", 20x20", 24x20", 30x20", 36x20". K-6325-C.



BERKSHIRE (above). An inexpensive, roll-rim model with single drainboard. Duostrainer in 6-inch basin; 8-inch back. Chromium plated mixing faucet with swing spout; cast trap. Two sizes—42x20", 52x20". K-6136-M. With basin at left, K-6135-M. With two drainboards, K-6060-M, size 60x22".


SINKS FOR BUILDING INTO COUNTER TOPS




ASHLEY (above). For home owners who prefer a sink built into the counter top as shown. Two 8-inch basins with Duostrainers. Chromium plated fitting with swing spout; cast traps. Two sizes—32x20", 42x20". K-6500-A.



ATWOOD (above). Single compartment flat rim sink. Duostrainer in 8-inch basin. Chromium plated fitting with swing spout; cast trap. Four sizes—20x14", 24x20", 30x18", 30x20". K-6520-A.




FENTRESS (above center). Single compartment flat rim sink with Duostrainer, end outlet. 6-inch deep basin. Available in 12 sizes. K-6420-A.



(Left.) Counter top supply fitting. Can be used on tops 2 1/4" thick. K-8651. With spray, K-8650. With spray and third water supply, K-8652. Third water supply less spray, K-8653.

For the Laundry

DEDICATED TO MAKING WASH DAYS EASIER



These two models (above) have one 8-inch deep basin for washing dishes and one 14-inch deep for doing small washings. Popular for apartment kitchenettes. 3-inch ledge. Chromium plated mixing faucet with 9-inch swing spout. 42x24", 50x24". Sea Cliff with cabinet (left) K-6606-A ... sink at left, K-6605-A. Available less cabinet. Camborne on adjustable leg (right) K-6625-A ... sink at right, K-6626-A.




Kohler sinks with 4-inch outlets can be equipped with a flat, perforated strainer (K-9107 Altern) or with the K-9101 Duo-strainer which has a strainer cup for collecting and removing solid matters. Basin can be made water-retaining for washing dishes.



ELSWICK (above). Two-part laundry trays, enameled inside. Swing spout faucet with bracket; strainers; rubber stoppers. Angle iron support. Length, 48". Width, 20". Depth, 13 1/4". K-6850-A.




PICKARD (above). Two-part laundry trays, enameled inside. Swing spout faucet with bracket; strainers with rubber stoppers. Adjustable standards. Length, 48 1/2". Width, 23 1/4". Depth, 13 1/2". K-6875-A.



If your sink fitting is wasteful and inefficient, this Highgate is an economical buy. Raised swing spout gives more room when filling pots and tall containers. Removable soap dish. Chromium plated. K-8692.

FOR ADDED YEARS OF BEAUTY AND USEFULNESS, BUY ACID-RESISTING ENAMEL

All Kohler sinks are surfaced with an opaque glass-like enamel which is easy to clean. Available also is the special acid-resisting enamel which is impervious to the harmful action of fruit juices and vegetable acids. Kohler acid-resisting enamel is not a surface film, but is acid-resistant all the way through.




Safeguard your plumbing fixtures by using Kohler Cleanser prepared especially for the care of sinks, baths, lavatories, closets, laundry trays. Also good for pots, glass, tile, marble, utensils. K-1200.

THE *Type G* COAL BURNING BOILER




The new **Type G** all-purpose boiler is **modern** because of its many new features: its built-in domestic hot water heater at the water line; concealed front-controlled draft damper; recessed gauges; large fire and ash-pit doors; toe-pressure door opener, high base for coal stokers and oil burners. It is **efficient** because of the scientific heat trapping flue design which increases the period of contact between hot gases and the heat absorbing area; the improved internal circulation and quick heating; the large, effective heat absorbing surfaces; the efficient all-over insulation; the adjustable smokehood. It is **handsome** in a rich, Imperial blue and black enameled steel jacket.



Cut-away of
G Boiler.

Large upper nipples partly below water line promote free circulation of water between sections. This produces quick response and pick-up, and also makes possible a domestic hot water heater built into the back section only.



Type G Boiler for Hand Firing			
Number of Boiler		Installed Radiation† Sq. Ft. E.D.R.	
Steam	Water	Steam	Water
GSJ-20	GWJ-20	300	480
GSJ-24	GWJ-24	390	624
GSJ-28	GWJ-28	480	768
GSJ-32	GWJ-32	570	912
GSJ-36	GWJ-36	660	1056
GSJ-40	GWJ-40	750	1200

Type GP Boiler for Oil Firing			
Number of Boiler		Installed Radiation† Sq. Ft. E.D.R.	
Steam	Water	Steam	Water
GPSJ-20	GPWJ-20	330	535
GPSJ-24	GPWJ-24	400	645
GPSJ-28	GPWJ-28	470	755
GPSJ-32	GPWJ-32	540	865
GPSJ-36	GPWJ-36	610	975
GPSJ-40	GPWJ-40	680	1085

Type GM Boiler for Stoker Firing			
Number of Boiler		Installed Radiation† Sq. Ft. E.D.R.	
Steam	Water	Steam	Water
GMSJ-24	GMWJ-24	390	624
GMSJ-28	GMWJ-28	480	768
GMSJ-32	GMWJ-32	570	912
GMSJ-36	GMWJ-36	660	1056
GMSJ-40	GMWJ-40	750	1200

Ratings


FOR KOHLER BOILERS

† Installed radiation is the net heat loss from the building or the equivalent connected radiation, expressed in square feet. Nothing need be added for normal covered piping or pickup. When domestic hot water is obtained from the boiler, add one square foot per gallon heater rating to installed radiation on steam boilers, and 1.6 square feet per gallon on water boilers before selecting the boiler size.

Select boiler to suit fuel input, if oil burner or stoker capacity exceeds load requirement.

Based on coal of 13,000 B.t.u. per pound and on 19,700 B.t.u. per pound of oil.

THE "22" OIL BOILER




Designed for gun-type oil burners, the new Kohler "22" Oil Boiler incorporates the "wet-base" principle in its completely water surrounded combustion chamber. No

radiant heat of the burner flame is lost through base sides and floor. Other features are: Multiple-finned surfaces cast into the flueways to obtain maximum heat absorption; large internal nipples; vertical water passages between the flues promote circulation; built-in hot water heater; extended jacket for oil burner; efficient insulation; heavy steel jacket finished with hard, durable, baked enamel.



Water heater is built into back section. Large upper nipples below water line provide unrestricted circulation between sections. Tankless, or built-in heaters, used with storage tanks, available.



Cut-away of "22" Oil Boiler.




Fig. 1

Completely water-surrounded fire-box absorbs all the radiant heat of the burner flame (Fig. 1). In an ordinary boiler (Fig. 2), heat wastefully escapes through the sides and floor.




Fig. 2

"22" Oil Boilers			
Number of Boiler		Installed Radiation† Sq. Ft. E.D.R.	
Steam	Water	Steam	Water
S-22-6	W-22-6	365	585
S-22-7	W-22-7	455	730
S-22-8	W-22-8	530	850
S-22-9	W-22-9	620	990
S-22-10	W-22-10	695	1110
S-22-11	W-22-11	785	1260

† Installed radiation is the net heat loss from the building or the equivalent connected radiation, expressed in square feet. Nothing need be added for normal covered piping or pickup. When domestic hot water is obtained from the boiler, add one square foot per gallon heater rating to installed radiation on steam boilers, and 1.6 square feet per gallon on water boilers before selecting the boiler size. For built-in tankless heater, add 50 square feet steam and 80 square feet water radiation per bathroom before selecting boiler.

Select boiler to suit oil input if burner capacity exceeds load requirement.

Based on 19,700 B.t.u. per pound of oil.

KOHLER

Radiators



Kohler cast-iron tubular radiators combine unusual heat-emission with trim, modern design.

Large, unobstructed passages between tubes and sections permit free air circulation and easy cleaning. Sections are joined with extra heavy malleable iron, threaded nipples, forming a steam, air, and water-tight connection. This type of construction provides great strength and rigidity and eliminates unsightly, dirt-collecting draw rods.

KOHLER VILLAGE

Kohler Planned Plumbing and Heating are backed by a community of skilled artisans devoted to the manufacture of products which provide comforts, conveniences, and raise the living standards in the American home.

